

AISI440C Stainless Steel Ball Bearings



Numero di prodotto	Sistema di Misurazione	Diametro di diametro (mm)	Fuori Dia(mm)	Peso	Tipo di sigillo	Materiale dell'anello	Materiale della palla	Materiale della gabbia
SR133-2RS	Inch	0.0938"	0.1875"	0.1	Sealed	440C Stainless Steel	440C Stainless Steel	304 Stainless Steel
SR1-5	Inch	0.0938"	0.3125"	0.6	Open	440C Stainless Steel	440C Stainless Steel	304 Stainless Steel
SR1-5-2RS	Inch	0.0938"	0.3125"	1.15	Sealed	440C Stainless Steel	440C Stainless Steel	304 Stainless Steel
SR1-5ZZ	Inch	0.0938"	0.3125"	1.15	Shielded	440C Stainless Steel	440C Stainless Steel	304 Stainless Steel
SR133	Inch	0.0938"	0.1875"	0.1	Open	440C Stainless Steel	440C Stainless Steel	304 Stainless Steel
SR133ZZ	Inch	0.0938"	0.1875"	0.15	Shielded	440C Stainless Steel	440C Stainless Steel	304 Stainless Steel
SR2	Inch	0.125"	0.375"	1.04	Open	440C Stainless Steel	440C Stainless Steel	304 Stainless Steel
SR144	Inch	0.125"	0.25"	0.27	Open	440C Stainless Steel	440C Stainless Steel	304 Stainless Steel
SR144-2RS	Inch	0.125"	0.25"	0.4	Sealed	440C Stainless Steel	440C Stainless Steel	304 Stainless Steel
SR144ZZ	Inch	0.125"	0.25"	0.4	Shielded	440C Stainless Steel	440C Stainless Steel	304 Stainless Steel
SR2ZZ	Inch	0.125"	0.375"	1.37	Shielded	440C Stainless Steel	440C Stainless Steel	304 Stainless Steel

AISI440C Stainless Steel Ball Bearings

SR2-2RS	Inch	0.125"	0.375"	1.37	Sealed	440C Stainless Steel	440C Stainless Steel	304 Stainless Steel
SR2-5-2RS	Inch	0.125"	0.3125"	0.74	Sealed	440C Stainless Steel	440C Stainless Steel	304 Stainless Steel
SR2-5	Inch	0.125"	0.3125"	0.5	Open	440C Stainless Steel	440C Stainless Steel	304 Stainless Steel
SR2-6	Inch	0.125"	0.375"	0.96	Open	440C Stainless Steel	440C Stainless Steel	304 Stainless Steel
SR2-5ZZ	Inch	0.125"	0.3125"	0.74	Shielded	440C Stainless Steel	440C Stainless Steel	304 Stainless Steel
SR2-6ZZ	Inch	0.125"	0.375"	1.23	Shielded	440C Stainless Steel	440C Stainless Steel	304 Stainless Steel
SR2-6-2RS	Inch	0.125"	0.375"	1.23	Sealed	440C Stainless Steel	440C Stainless Steel	304 Stainless Steel
SR2A	Inch	0.125"	0.5"	3.3	Open	440C Stainless Steel	440C Stainless Steel	304 Stainless Steel
SR2AZZ	Inch	0.125"	0.5"	3.3	Shielded	440C Stainless Steel	440C Stainless Steel	304 Stainless Steel
SR2A-2RS	Inch	0.125"	0.5"	3.3	Sealed	440C Stainless Steel	440C Stainless Steel	304 Stainless Steel
SR155	Inch	0.1563"	0.3125"	0.51	Open	440C Stainless Steel	440C Stainless Steel	304 Stainless Steel
SR155-2RS	Inch	0.1563"	0.3125"	0.51	Sealed	440C Stainless Steel	440C Stainless Steel	304 Stainless Steel
SR155ZZ	Inch	0.1563"	0.3125"	0.61	Shielded	440C Stainless Steel	440C Stainless Steel	304 Stainless Steel
SR166	Inch	0.1875"	0.375"	0.81	Open	440C Stainless Steel	440C Stainless Steel	304 Stainless Steel
SR156	Inch	0.1875"	0.3125"	0.4	Open	440C Stainless Steel	440C Stainless Steel	304 Stainless Steel
SR156-2RS	Inch	0.1875"	0.3125"	0.45	Sealed	440C Stainless Steel	440C Stainless Steel	304 Stainless Steel

AISI440C Stainless Steel Ball Bearings

SR156ZZ	Inch	0.1875"	0.3125"	0.45	Shielded	440C Stainless Steel	440C Stainless Steel	304 Stainless Steel
SR166-2RS	Inch	0.1875"	0.375"	0.85	Sealed	440C Stainless Steel	440C Stainless Steel	304 Stainless Steel
SR3-2RS	Inch	0.1875"	0.5"	2.95	Sealed	440C Stainless Steel	440C Stainless Steel	304 Stainless Steel